

QA SAMPLE - INFORMATIONAL ONLY

1 06 2

ICAL ID: 20240730-051 Sample: CA240730-016-040 Long Coast Sea Salt Margarita Strain: Long Coast Sea Salt Margarita Category: Ingestible Type: Beyerage Hop The Wave Brewing Lic. # SD SD, CA 92121 Batch#: 072624
Batch Size Collected:
Total Batch Size:
Collected: 08/01/2024; Received: 08/01/2024
Completed: 08/01/2024

Moisture

Δ9-THC

CBD

Pass

Pass

Pass

Pass

Pass

Pass

Complete

Total Cannabinoids

Sum of Cannabinoids

Total Terpenes

NT Water Activity NT 4.79 mg/unit

5.30 mg/unit

Lic.#

10.09 mg/unit

10.09 mg/unit

ii terpen

NT

Summary

Batch Cannabinoids Residual Solvents Microbials Mycotoxins Heavy Metals Foreign Matter Pesticides SOP Used

POT-PREP-002 RS-PREP-001 MICRO-PREP-001 PESTMYCO-LC-PREP-001 HM-PREP-001 FM-PREP-001 PESTMYCO-LC-PREP-001/

PEST-GC-PREP-001

08/01/2024 07/30/2024 08/01/2024 07/31/2024 07/31/2024 07/30/2024 07/31/2024

Date Tested

LONG



Scan to see results

Cannabinoid Profile

1 Unit = can, 367.605 g. 1 mL = 1 g.

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/mL	mg/unit	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g r	ng/mL	mg/unit
THCa	0.0128	0.0043	ND	ND	ND	ND	CBGa	0.0046	0.0015	ND	ND	ND	ND
Δ9-THC	0.0046	0.0010	0.001	0.01	0.01	4.79	CBG	0.0046	0.0005	ND	ND	ND	ND
Δ8-THC	0.0046	0.0014	ND	ND	ND	ND	CBN	0.0046	0.0005	ND	ND	ND	ND
THCV	0.0046	0.0006	ND	ND	ND	ND	Total THC			0.00	0.01	0.01	4.79
CBDa	0.0049	0.0016	ND	ND	ND	ND	Total CBD			0.00	0.01	0.01	5.30
CBD	0.0046	0.0008	0.001	0.01	0.01	5.30	Total			0.00	0.03	0.03	10.09
CBDV	0.0046	0.0004	ND	ND	ND	ND	Sum of			0.00	0.03	0.03	10.09
CBC	0.0076	0.0025	ND	ND	ND	ND	Cannabinoids			0.00	0.00	0.00	10.07

Total THC=THCa* 0.877 + d9-THC + d8-THC; Total CBD = CBDa* 0.877 + CBD. Total Cannabinoids=(Acidic Cannabinoids)*0.877+Non-acidic Cannabinoids; Sum of Cannabinoids=Acidic Cannabinoids. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported, Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids:UHPLC-DAD(POT-INST-005), Moisture: Moisture Analyzer (MOISTURE-001), Water Activity Meter (Nd-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

Terpene Profile

Analyte LOQ (mg/g) LOD (mg/g) % mg/g Analyte LOQ (mg/g) % mg/g

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-M5; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC Josh M Swider

Josh Swider Lab Director, Managing Partner 08/01/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



2062



Certificate of Analysis

ICAL ID: 20240730-051 Sample: CA240730-016-040 Long Coast Sea Salt Margarita Strain: Long Coast Sea Salt Margarita Category: Ingestible Type: Beverage

Hop The Wave Brewing Lic. # SD SD, CA 92121

Lic #

Batch#: 072624 Batch Size Collected: Total Batch Size:

Collected: 08/01/2024; Received: 08/01/2024

Completed: 08/01/2024

Residual Solvent Analysis

Category 1		LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g	µg/g	-
1,2-Dichloro-Ethane	ND	0.264	0.088	1	Pass
Benzene	ND	0.052	0.017	1	Pass
Chloroform	ND	0.076	0.025	1	Pass
Ethylene Oxide	ND	0.579	0.179	1	Pass
Methylene-Chloride	ND	0.729	0.08	1	Pass
Trichloroethene	ND	0.145	0.028	1	Pass

Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
A	μg/g	μg/g	μg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Acetone	ND	51.246	0.716	5000	Pass	n-Hexane	ND	0.281	0.027	290	Pass
Acetonitrile	ND	0.42	0.14	410	Pass	Isopropanol	ND	2.86	0.614	5000	Pass
Butane	ND	4.849	0.748	5000	Pass	Methanol	ND	2.602	0.867	3000	Pass
Ethanol	313.3	7.575	2.525	5000	Pass	Pentane	ND	5.075	1.692	5000	Pass
Ethyl-Acetate	ND	2.288	0.175	5000	Pass	Propane	ND	9.709	3.236	5000	Pass
Ethyl-Ether	ND	2.869	0.389	5000	Pass	Toluene	ND	0.864	0.067	890	Pass
Heptane	ND	2.859	0.496	5000	Pass	Xylenes	ND	2.572	0.326	2170	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

Heavy Metal Screening

		LOQ	LOD	Limit	Status
-	μg/g	μg/g	μg/g	hg/g	
Arsenic	ND	0.009	0.003	1.5	Pass
Cadmium	ND	0.002	0.001	0.5	Pass
Lead	ND	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	1.5	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus		Not Detected	Pass
Aspergillus fumigatus		Not Detected	Pass
Aspergillus niger		Not Detected	Pass
Aspergillus terreus		Not Detected	Pass
STEC		Not Detected	Pass
Salmonella SPP		Not Detected	Pass

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider
Lab Director, Managing Partner

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.

08/01/2024







Certificate of Analysis

ICAL ID: 20240730-051 Sample: CA240730-016-040 Long Coast Sea Salt Margarita Strain: Long Coast Sea Salt Margarita Category: Ingestible Type: Beverage

Hop The Wave Brewing Lic. # SD SD, CA 92121

Lic.#

Batch#: 072624 Batch Size Collected: Total Batch Size:

Collected: 08/01/2024; Received: 08/01/2024

Completed: 08/01/2024

Chemical Residue Screening

Category 1		LOQ	LOD	Status	Mycotoxins
	µg/g	µg/g	μg/g		
Aldicarb	ND	0.065	0.022	Pass	B1
Carbofuran	ND	0.030	0.009	Pass	B2
Chlordane	ND	0.075	0.025	Pass	G1
Chlorfenapyr	ND	0.075	0.025	Pass	G2
Chlorpyrifos	ND	0.053	0.018	Pass	Ochratoxin A
Coumaphos	ND	0.056	0.018	Pass	Total Aflatoxin
Daminozide	ND	0.079	0.026	Pass	-
Dichlorvos	ND	0.067	0.022	Pass	
Dimethoate	ND	0.036	0.012	Pass	
Ethoprophos	ND	0.053	0.017	Pass	
Etofenprox	ND	0.030	0.008	Pass	
Fenoxycarb	ND	0.043	0.014	Pass	
Fipronil	ND	0.045	0.015	Pass	
Imazalil	ND	0.047	0.016	Pass	
Methiocarb	ND	0.047	0.016	Pass	
Mevinphos	ND	0.042	0.014	Pass	
Paclobutrazol	ND	0.040	0.013	Pass	
Parathion Methyl	ND	0.024	0.008	Pass	
Propoxur	ND	0.047	0.016	Pass	
Spiroxamine	ND	0.032	0.011	Pass	
Thiacloprid	ND	0.042	0.014	Pass	

Mycotoxins		LOQ	LOD	Limit	Status
	μg/kg	µg/kg	μg/kg	μg/kg	
B1	ND	7.88	2.6		Tested
B2	ND	6.18	2.04		Tested
G1	ND	8.99	2.97		Tested
G2	ND	5.72	1.89		Tested
Ochratoxin A	ND	11.72	3.87	20	Pass
Total Aflatoxins	ND			20	Pass

0.1000.000		100	100	1	C	C 1 22/ WH C		100	100	1.1.16	C1 1
Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	μg/g	_
Abamectin	ND	0.030	0.010	0.3	Pass	Kresoxim Methyl	ND	0.038	0.012	1	Pass
Acephate	ND	0.050	0.016	5	Pass	Malathion	ND	0.035	0.012	5	Pass
Acequinocyl	ND	0.059	0.019	4	Pass	Metalaxyl	ND	0.031	0.010	15	Pass
Acetamiprid	ND	0.044	0.015	5	Pass	Methomyl	ND	0.048	0.016	0.1	Pass
Azoxystrobin	ND	0.029	0.010	40	Pass	Myclobutanil	ND	0.055	0.018	9	Pass
Bifenazate	ND	0.035	0.012	5	Pass	Naled	ND	0.051	0.017	0.5	Pass
Bifenthrin	ND	0.040	0.013	0.5	Pass	Oxamyl	ND	0.046	0.015	0.3	Pass
Boscalid	ND	0.060	0.020	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.008	20	Pass
Carbaryl	ND	0.049	0.016	0.5	Pass	Phosmet	ND	0.038	0.012	0.2	Pass
Chlorantraniliprole	ND	0.063	0.021	40	Pass	Piperonyl Butoxide	ND	0.030	0.008	8	Pass
Clofentezine	ND	0.039	0.013	0.5	Pass	Prallethrin	ND	0.068	0.023	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazole	ND	0.059	0.019	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.030	0.006	0.2	Pass	Pyridaben	ND	0.035	0.012	3	Pass
Dimethomorph	ND	0.042	0.014	20	Pass	Spinetoram	ND	0.030	0.006	3	Pass
Etoxazole .	ND	0.030	0.008	1.5	Pass	Spinosad	ND	0.030	0.004	3	Pass
Fenhexamid	ND	0.039	0.013	10	Pass	Spiromesifen	ND	0.042	0.014	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.041	0.013	13	Pass
Flonicamid	ND	0.081	0.027	2	Pass	Tebuconazole	ND	0.044	0.014	2	Pass
Fludioxonil	ND	0.046	0.015	30	Pass	Thiamethoxam	ND	0.055	0.018	4.5	Pass
Hexythiazox	ND	0.078	0.026	2	Pass	Trifloxystrobin	ND	0.031	0.010	30	Pass
Imidacloprid	ND	0.071	0.023	3	Pass	-					

Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to 5OPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider

Josh Swider Lab Director, Managing Partner 08/01/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Hop The Wave

Certificate of Analysis

ICAL #: 20240730-051 Batch #: 72624

Ordered: 07/30/24; Sampled: 07/30/24; Completed: 08/02/24

Sample name: Long Coast Sea Salt Margarita

Microbiological Screening

SOP: MICRO-PREP-001; MICRO-INST-001

Analyte	Result	Status
Pseudomonas aeruginosa	ND	Pass
Staphylococcous Aureus	ND	Pass

ND = Not Detected

NR = Not reported, no test completed *analytical instrumentation used: qPCR*



8312 Miramar Mall San Diego CA, 92121 (858) 623-2740 www.InfiniteCAL.com Josh M Swider

Lab Director

This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested.Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC