

# Certificate of Analysis

Produced: Nov 04, 2024

Sample: Wild Blueberry Mojito (Edible Liquid) • Client: Hop the Wave



**Batch No.:** 101624  
**Matrix:** Edible Liquid  
**Density:** 0.98688 g/ml  
**Sample ID:** ICC-241030-18-001  
**Collected on:** Oct 30, 2024  
**Received on:** Oct 30, 2024  
**Sample Size:**  
**Received By:** Rebecca Fischer  
**Package Size:** 370.38 g

**Tests Taken**

Potency

**Cannabinoid Overview**

**Δ<sup>9</sup>-THC:** 4.41 mg/pkg  
**CBD:** 4.44 mg/pkg  
**Sum of Cannabinoids:** 8.85 mg/pkg

**POT-INST-005: Potency**

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)
CBC		ND	ND	0.00101/0.00302	CBT		ND	ND	0.000437/0.00153
CBD	4.44	0.00120	0.012	0.000308/0.00153	Δ <sup>9</sup> -THC		ND	ND	0.000247/0.00153
CBDA		ND	ND	0.000737/0.00221	Δ <sup>9</sup> -THC	4.41	0.00119	0.012	0.000408/0.00153
CBDV		ND	ND	0.000244/0.00153	THCA		ND	ND	0.000561/0.00168
CBG		ND	ND	0.000348/0.00153	THCV		ND	ND	0.000189/0.00153
CBGA		ND	ND	0.000543/0.00163	<b>Total THC**</b>	4.41	0.00119	0.012	
CBL		ND	ND	0.000240/0.00153	<b>Total CBD**</b>	4.44	0.00120	0.012	
CBN		ND	ND	0.000348/0.00153					

Total THC = THCa \* 0.877 + Δ<sup>9</sup>-THC; Total CBD = CBDa \* 0.877 + CBD; NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\* \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



### Certificate of Analysis

Produced: Oct 30, 2024

Sample: Wild Blueberry Mojito (Edible Liquid) • Client: Hop the Wave • Batch: Passed as California Hemp



**Batch No.:** 101624  
**Matrix:** Edible Liquid  
**Density:** 0.98688 g/ml  
**Sample ID:** ICC-241023-18-001  
**Collected on:** Oct 23, 2024  
**Received on:** Oct 23, 2024  
**Sample Size:**  
**Received By:** Rebecca Fischer  
**Package Size:** 370.38 g  
**Serving Size:** 185.19 g  
**Petrfilm Overall Results:** Pass  
**Total Aerobic Plate Count Limit:** 10000 CFU/g  
**Total Coliforms Limit:** 100 CFU/g  
**Total Yeast and Mold Limit:** 1000 CFU/g

**Batch Result:** Passed as California Hemp

<b>Foreign</b>	Pass	<b>Mycotoxins</b>	Pass
<b>Metals</b>	Pass	<b>Pesticides</b>	Pass
<b>Microbial</b>	Pass	<b>Solvents</b>	Pass

infinite**CAL**

#### PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Abamectin Ba		ND	0.0500/0.100	N/A	Metolaxyl	15	ND	0.0101/0.0306	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fonicamid	2	ND	0.0268/0.0811	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.510	Pass	Hexane	290	ND	0.0662/0.282	Pass
Acetone	5000	< LOQ	17.1/51.4	Pass	Isopropyl alcohol	5000	ND	1.28/3.85	Pass
Acetonitrile	410	ND	0.120/0.360	Pass	Methanol	3000	ND	2.98/8.94	Pass
Benzene	1	ND	0.0210/0.0640	Pass	Methylene chloride	1	ND	0.127/0.731	Pass
Butane	5000	ND	0.973/4.86	Pass	Pentane	5000	ND	0.964/4.28	Pass
Chloroform	1	ND	0.0361/0.108	Pass	Propane	5000	ND	4.44/13.3	Pass
Ethanol	5000	2010	2.62/7.86	Pass	Toluene	890	ND	0.0882/0.866	Pass
Ethyl acetate	5000	7.18	0.314/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.580	Pass	o-Xylene		ND	0.101/0.859	N/A
Ethyl ether	5000	ND	1.19/3.56	Pass	p- and m-Xylene		ND	0.116/1.72	N/A
Heptane	5000	ND	0.689/2.87	Pass	Total xylenes	2170	ND	0.0168/0.143	Pass

MICR-002: Petrifilm-Coliforms

Analyte	Amt	Pass/Fail
Coliforms	ND	N/A

Petrifilm-E. Coli

Analyte	Amt	Pass/Fail
Escherichia coli	ND	N/A



**MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable)**

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Aspergillus flavus	ND	N/A	Aspergillus terreus	ND	N/A
Aspergillus fumigatus	ND	N/A	Salmonella spp.	ND	Pass
Aspergillus niger	ND	N/A	Shiga toxin-producing E. coli	ND	Pass

**MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold**

Analyte	Amt	Pass/Fail
Yeast & Mold	ND	N/A

**MICR-002: Petrifilm-Aerobic**

Analyte	Amt	Pass/Fail
Aerobic Bacteria	ND	N/A

**Petrifilm-Listeria**

Analyte	Amt	Pass/Fail
Listeria spp.	ND	N/A

**MICR-002: Petrifilm-Salmonella**

Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass

**HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

